Contents of volume 72

Suppl 1 to Vol. 72 (1999) Mengersen KL, Merrilees MJ, Tweedie RL: "Environmental tobacco smoke and ischaemic heart disease: a case study in applying causal criteria"
Suppl 2 to Vol. 72 (1999) Unemployment and Health. ICOH Working Group, 25–26 September 1998, Paris, France
Suppl 3 to Vol. 72 (1999) Medichem 1998: "New Horizons – Old Concerns", 7–10 September 1999, Cape Town, South Africa

Adami G → Larese Filon F
Adel S → Hoerauf KH
Åkesson I, Johnsson B, Rylander L, Moritz U, Skerfving S: Musculoskeletal disorders among female dental personnel – clinical examination and a 5-year follow-up study of symptoms 395
Alberdi JC → Díaz J
Alfaro-Moreno E → Borm PJA
Ando H → Ishitake T
Angerer J → Krämer A
Angerer J → Lehnert G
Apostoli P → Minoia C
Apostoli P: Application of reference values in occupational health 191
ASCLEPIOS → Kolstad HA

Bælum J: Acute symptoms during non-inhalation exposure to combinations of toluene, trichloroethylene, and *n*-hexane 408
Bader M, Dietz MC, Ihrig A, Triebig G: Biomonitoring of manganese in blood, urine and axillary hair following low-dose exposure during the manufacture of dry cell batteries 521
Barbieri P → Larese Filon F
Barregård L, Sällsten G, Conradi N: Tissue levels of mercury determined in a deceased worker after occupational exposure 169
Baur X → Merget R
Baur X: Baker's asthma: causes and prevention 292
Baur X, Isringhausen-Bley S, Degens P: Comparison of lung-function reference values 69
Bavazzano P → Boscolo P
Bavazzano P → Perico A
Bentsen-Farmen RK, Botnen IV, Noto H, Jacob J, Øvrebø S: Detection of polycyclic aromatic hydrocarbon metabolites by high-pressure liquid chromatography after purification on immunoaffinity columns in urine from occupationally exposed workers 161
Benvenuti F → Boscolo P
Berndt E-D → Merget R
Bettinghausen E → Neubauer B
Bicciato F → Trevisan A
Bonde JP: Occupational risk to male reproduction 133
Bonde WJ → Kolstad HA
Boogaard PJ, Rocchi PSJ, van Sittert NJ: Biomonitoring of exposure to ethylene oxide and propylene oxide by determination of hemoglobin adducts: correlations between airborne exposure and adduct levels 142
Borm PJA, van Hartingsveld B, Schins PFR, Alfaro-Moreno E, Cruz-Rico G, Rosas-Perez I, Osornio-Vargas AR: Priming of cytokine release and increased levels of bactericidal permeability-increasing protein in the blood of animal facility workers 323
Boscolo P, Di Gioacchino M, Sabbioni E, Benvenuti F, Conti P, Reale M, Bavazzano P, Giuliano G: Expression of lymphocyte subpopulations, cytokine serum levels, and blood and urinary trace elements in asymptomatic atopic men exposed to an urban environment 26
Botnen IV → Bentsen-Farmen RK
Bovenzi M → De Zotti R
Bovenzi M, Hulshof CTJ: An updated review of epidemiologic studies on the relationship between exposure to whole-body vibration and low back pain (1986–1997) 351
Bradl I → Kleine B-U
Breitstadt R → Merget R
Brugnone F → Pavanello S
Brugnone F → Perico A
Burger H-J → Hoerauf KH
Buslaps C → Neubauer B
Bussani R → Larese Filon F
Byers ME → Panemangalore M
Bykov V → Odland JØ

Carel R, Levitas-Langman A, Kordysh E, Goldsmith J, Friger M: Case-referent study on occupational risk factors for bladder cancer in southern Israel 304
Cassinelli C → Perico A
Cenni A → Sartorelli P
Chung HK → Jang J-Y
Cirla A → De Zotti R
Clonfero E → Pavanello S
Coceani N → Larese Filon F
Coenraads PJ → Diepgen TL
Conradi N → Barregård L
Conti P → Boscolo P
Cruz-Rico G → Borm PJA

De Zotti R, Bovenzi M, Negro C, Cirla A, Innocenti A, Lorusso A, Mariano A, Paggiaro PL, Talini D, Pisati G, Romano C, Sulotto F: Specific inhalation challenge with wheat flour in workers with suspected baker's asthma 335
Degens P → Baur X
Dell LD, Mundt KA, McDonald M, Tritschler II JP, Mundt DJ: Critical review of the epidemiology literature on the potential cancer risks of methylene chloride 429
Di Gioacchino M → Boscolo P
Díaz J, Garcia R, Ribera P, Alberdi JC, Hernández E, Pajares MS, Otero A: Modeling of air pollution and its relationship with mortality and morbidity in Madrid, Spain 366
Diepgen TL, Coenraads PJ: The epidemiology of occupational contact dermatitis 496
Dietz MC → Bader M
Dietz MC → Nasterlack M
Dominguez de la Calle M → Gestal-Otero JJ
Dougherty J: Employee health monitoring data bases and their role in defining the safety of chemical products [In: 71 (Suppl): S100–S103 (1998)] 559
Dowla HA → Panemangalore M
Droz PO → Jang J-Y
Ducos P → Robert A
Ducos P, Gaudin R, Francin JM: Determination of *N*-nitrosodiethanolamine in urine by gas chromatography thermal energy analysis: application in workers exposed to aqueous metalworking fluids 215

Edwards JW → Miller MJ
Erwall C → Wieslander G
Ewers U, Krause C, Schulz C, Wilhelm M: Reference values and human biological monitoring values for environmental toxins. Report on the work and recommendations of the Commission on Human Biological Monitoring of the German Federal Environmental Agency 255

Faas M → Muttray A
Fanelli G → Trevisan A
Fiorito A → Larese Filon F
Fiskebeck PE → Odland JØ
Francin JM → Ducos P
Francin JM → Robert A
Franco G: Occupational physicians' education and training across European Union countries 338
Frank K-H → Nasterlack M
Friese K → Merget R
Friger M → Carel R
Fuchs T → Merget R
Fukui Y, Miki M, Ukai H, Okamoto S, Takada S, Higashikawa K, Ikeda M: Urinary lead as a possible surrogate of blood lead among workers occupationally exposed to lead 516

Gabbani G → Pavanello S
Garcia R → Díaz J

Gaudin R → Ducos P
Gebler A → Merget R
Gestal-Otero JJ, Dominguez de la Calle M, Takkouche B: Occupational health in Spain 345
Giuliano G → Boscolo P
Giwercman A → Kolstad HA
Goldsmith J → Carel R
Gomes J, Lloyd OL, Revitt DM: The influence of personal protection, environmental hygiene and exposure to pesticides on the health of immigrant farm workers in a desert country 40
Grieshaber R → Kleine B-U
Griffin MJ → Lindsell CJ
Grzebyk M → Limasset JC
Guo YL, Wu T-N, Liou S-H, Wang J-D: Occupational medicine in Taiwan 419

Haapa K → Mäittälä J
Hacke W → Nasterlack M
Hagmar L → Rylander L
Harada N → Laskar MS
Harada N, Yoshimura M, Laskar MS: A minireview of studies conducted in Japan using finger-skin temperature during cold-stress tests for the diagnosis of hand-arm vibration syndrome 330
Hartmann T → Hoerauf KH
Hashiguchi T → Hirata M
Heinrich-Ramm R → Radon K
Herber RFM: Review of trace element concentrations in biological specimens according to the TRACY protocol 279
Hernández E → Díaz J
Higashikawa K → Fukui Y
Hirano H → Hirata M
Hirata M, Sakakibara H, Yamada S, Hashiguchi T, Toibana N, Koshiyama H, Hirano H: Medial plantar nerve conduction velocities among patients with vibration syndrome due to chain-saw work 551
Hoerauf KH, Hartmann T, Zavrski A, Adel S, Burger H-J, Koinig H, Zimpfer M: Occupational exposure to sevoflurane during sedation of adult patients 174
Hulshof CTJ → Bovenzi M
Hunter WJ: Concepts in occupational and environmental health: contribution of the European Commission 129

Ihrig A → Bader M
Ikeda M → Fukui Y
Innocenti A → De Zotti R
Ishitake T, Miyazaki Y, Ando H, Matoba T: Suppressive mechanism of gastric motility by whole-body vibration 469
Isringhausen-Bley S → Baur X

Jacob J → Bentsen-Farmen RK
Jang J-Y, Droz PO, Chung HK: Uncertainties in physiologically based pharmacokinetic models caused by several input parameters 247
Jang J-Y, Lee SY, Kim JI, Park JB, Lee KJ, Chung HK: Application of biological monitoring to the quantitative exposure assessment for neuropsychological effect by chronic exposure to organic solvents 107
Johnsson B → Åkesson I
Johyama Y → Yokota K

Kaae D → Kolstad HA
Kalliokoski P → Mäkinen M
Kangas J → Mäkinen M
Kennedy G → Zayed J
Kiilunen M: Biomonitoring action levels in Finland 261
Kim JI → Jang J-Y
Kim K-S → Park J
Kim Y → Park J
Kiviranta H → Laitinen S
Kleine B-U, Schumann N-P, Bradl I, Grieshaber R, Scholle HC: Surface EMG of shoulder and back muscles and posture analysis in secretaries typing at visual display units 387
Klimek L → Muttray A
Klockars M → Leino T
Koinig H → Hoerauf KH
Kolstad HA, Bonde WJ, Spano M, Giwercman A, Zschiesche W, Kaae D, ASCLEPIOS: Change in semen quality and sperm chromatin structure following occupational styrene exposure 135
Konietzko J → Muttray A
Kordysh E → Carel R
Koshiyama H → Hirata M
Krause C → Ewers U
Kristiansen J → Lander F
Kroon PJ → Weel ANH
Krämer A, Linnert M Jr, Wrbitzky R, Angerer J: Occupational chronic exposure to organic solvents XVII. Ambient and biological monitoring of workers exposed to xylenes 52
Kulzer R → Merget R

Laitinen J → Laitinen S
Laitinen S, Linnainmaa M, Laitinen J, Kiviranta H, Reiman M, Liesivuori J: Endotoxins and IgG antibodies as indicators of occupational exposure to the microbial contaminants of metal-working fluids 443
Lander F, Kristiansen J, Lauritsen JM: Manganese exposure in foundry furnacemen and scrap recycling workers 546
Lanza A, Robustelli della Cuna FS, Zibera C, Pedrazzoli P, Robustelli della Cuna GR: Somatic mutations at the T-cell antigen receptor in antineoplastic drug-exposed populations: comparison with sister chromatid exchange frequency 315
Larese Filon F, Fiorito A, Adami G, Barbieri P, Coceani N, Bussani R, Reisenhofer E: Skin absorption in vitro of glycol ethers 480
Larsen SB → Kolstad HA
Larsen SB → Roeleveld N
Laskar MS → Harada N
Laskar MS, Harada N: Assessment of autonomic nervous activity in hand-arm vibration syndrome patients using time- and frequency-domain analyses of heart rate variation 462
Lauritsen JM → Lander F
Lee KJ → Jang J-Y
Lee SH: Occupational medicine in Korea 1
Lee SY → Jang J-Y
Lehnert G, Schaller K-H, Angerer J: Report on the status of the external quality-control programs for occupational-medical and environmental-medical toxicological analyses in biological materials in Germany 60
Leino T, Tuomi K, Paakkulainen H, Klockars M: Health reasons for leaving the profession as determined among Finnish hairdressers in 1980–1995 56
Levitas-Langman A → Carel R
Liesivuori J → Laitinen S
Liesivuori J → Mäittälä J
Limasset JC, Simon P, Poirot P, Subra I, Grzebyk M: Estimation of the percutaneous absorption of styrene in an industrial situation 46
Limasset JC, Simon P, Poirot P, Subra I, Grzebyk M: Estimation of the percutaneous absorption of styrene in an industrial situation (72: 46–51) 489
Lindgren T, Willers S, Skarping G, Norbäck D: Urinary cotinine concentration in flight attendants, in relation to exposure to environmental tobacco smoke during intercontinental flights 475
Lindsell CJ, Griffin MJ: Thermal thresholds, vibrotactile thresholds and finger systolic blood pressures in dockyard workers exposed to hand-transmitted vibration 377
Linnainmaa M → Laitinen S
Linnert M Jr → Krämer A
Liou S-H → Guo YL
Lloyd OL → Gomes J
Lorusso A → De Zotti R
Lund E → Odland JØ

Maccacaro G → Pavanello S
Mäittälä J, Pennanen S, Puputti M, Haapa K, Liesivuori J: Occupational exposure to alkoxysilanes in a fibreglass manufacturing plant 539
Mäkinen M, Kalliokoski P, Kangas J: Assessment of total exposure to phenol-formaldehyde resin glue in plywood manufacturing 309
Mann W → Muttray A
Mariano A → De Zotti R
Mastrangelo G → Pavanello S
Matoba T → Ishitake T
Matteucci G → Sartorelli P
McDonald M → Dell LD
Mengersen KL, Merrilees MJ, Tweedie RL: Environmental tobacco smoke and ischaemic heart disease: a case study in applying causal criteria S1
Merget R, Schulte A, Gebler A, Breitstadt R, Kulzer R, Berndt E-D, Baur X, Schultze-Werninghaus G: Outcome of occupational

asthma due to platinum salts after transferral to low-exposure areas 33
Merget R, Topcu M, Friese K, Vormberg R, Fuchs T, Raulf-Heimsoth M, Breitstadt R: A cross-sectional study of workers in the chemical industry with occupational exposure to hexamethylenetetramine 533
Merrilees MJ → Mengersen KL
Miki M → Fukui Y
Miller MJ, Edwards JW: Possible preferential metabolism of xylene isomers following occupational exposure to mixed xylenes 89
Minoia C, Apostoli P: Activity of the Italian Society of Reference Values 268
Miyazaki Y → Ishitake T
Montomoli L → Sartorelli P
Morgan MS, Schaller K-H: An analysis of criteria for biological limit values developed in Germany and in the United States 195
Morimoto K → Yokota K
Moritz U → Åkesson I
Mundt DJ → Dell LD
Mundt KA → Dell LD
Muttray A, Klimek L, Faas M, Schäfer D, Mann W, Konietzko J: The exposure of healthy volunteers to 200 ppm 1,1,1-trichloroethane increases the concentration of proinflammatory cytokines in nasal secretions 485

Nasterlack M, Dietz MC, Frank K-H, Hacke W, Scherg H, Schmittner H, Stelzer O, Zimber A, Triebig G: A multidisciplinary cross-sectional study on solvent-related health effects in painters compared with construction workers 205
Negro C → De Zotti R
Neubauer B, Tetzlaff K, Buslaps C, Schwarzkopf J, Bettinghausen E, Rieckert H: Blood lactate changes in men during graded workloads at normal atmospheric pressure (100 kPa) and under simulated caisson conditions (400 kPa) 178
Nieboer E → Odland JØ
Norbäck D → Lindgren T
Norbäck D → Wieslander G
Nordström K → Wieslander G
Notø H → Bentsen-Farmen RK
Novelli MT → Sartorelli P
Nowak D → Radon K

Odland JØ, Tchachtchine VP, Bykov V, Fiskebeck PE, Lund E, Thomassen Y, Nieboer E: Critical evaluation of medical, statistical, and occupational data sources in the Kola Peninsula of Russia pertinent to reproductive health studies 151
Okamoto S → Fukui Y
Omae K, Takebayashi T, Sakurai H: Occupational exposure limits based on biological monitoring: the Japan Society for Occupational Health 271
Opperhuizen A → van Amsterdam JGC
Osornio-Vargas AR → Borm PJA
Otero A → Díaz J
Øvrebø S → Bentsen-Farmen RK

Paakkulainen H → Leino T
Paggiaro PL → De Zotti R
Pajares MS → Díaz J
Palmi S → Sartorelli P
Panemangalore M, Dowla HA, Byers ME: Occupational exposure to agricultural chemicals: effect on the activities of some enzymes in the blood of farm workers 84
Park J, Kim Y, Kim K-S: Remodeling of the occupational medical examination program in South Korea 411
Park JB → Jang J-Y
Paruzzolo P → Trevisan A
Pavanello S, Gabbani G, Mastrangelo G, Brugnone F, Maccacaro G, Clonfero E: Influence of *GSTM1* genotypes on *anti*-BPDE–DNA adduct levels in mononuclear white blood cells of humans exposed to PAH 238
Pedrazzoli P → Lanza A
Pennanen S → Mäittälä J
Perbellini L → Perico A
Perico A, Cassinelli C, Brugnone F, Bavazzano P, Perbellini L: Biological monitoring of occupational exposure to cyclohexane by urinary 1,2- and 1,4-cyclohexanediol determination 115
Pisati G → De Zotti R
Placidi D: Italian legislation adopts European Union directives: values and drawbacks 555
Poirot P → Limasset JC
Puputti M → Mäittälä J

Radon K, Nowak D, Heinrich-Ramm R, Szadkowski D: Respiratory health and fluoride exposure in different parts of the modern primary aluminum industry 297
Radon K, Nowak D, Heinrich-Ramm R, Szadkowski D: Respiratory health and fluoride exposure in different parts of the modern primary aluminium industry [In: 72: 297–303 (1999)] 560
Raulf-Heimsoth M → Merget R
Reale M → Boscolo P
Reiman M → Laitinen S
Reisenhofer E → Larese Filon F
Revitt DM → Gomes J
Ribera P → Díaz J
Rieckert H → Neubauer B
Robert A, Ducos P, Francin JM: Biological monitoring of workers exposed to 4,4′-methylene-bis-(2-orthochloroaniline) (MOCA). I. A new and easy determination of "free" and "total" MOCA in urine 223
Robert A, Ducos P, Francin JM: Biological monitoring of workers exposed to 4,4′-methylene-bis-(2-orthochloroaniline) (MOCA). II. Comparative interest of "free" and "total" MOCA in the urine of exposed workers 229
Robustelli della Cuna FSR → Lanza A
Robustelli della Cuna GR → Lanza A
Rocchi PSJ → Boogaard PJ
Roeleveld N → Kolstad HA
Romano C → De Zotti R
Rosas-Perez I → Borm PJA
Rylander L → Åkesson I
Rylander L, Hagmar L: No evidence for congenital malformations or prenatal death in infants born to women with a high dietary intake of fish contaminated with persistent organochlorines 121

Sabbioni E → Boscolo P
Sakakibara H → Hirata M
Sakurai H → Omae K
Sällsten G → Barregård L
Šarić M: Occupational health services in Croatia 491
Sartorelli P, Cenni A, Matteucci G, Montomoli L, Novelli MT, Palmi S: Dermal exposure assessment of polycyclic aromatic hydrocarbons: in vitro percutaneous penetration from lubricating oil 528
Schäfer D → Muttray A
Schaller K-H → Lehnert G
Schaller K-H → Morgan MS
Scherg H → Nasterlack M
Schins PFR → Borm PJA
Schmittner H → Nasterlack M
Scholle HC → Kleine B-U
Schulte A → Merget R
Schultze-Werninghaus G → Merget R
Schulz C → Ewers U
Schumann N-P → Kleine B-U
Schwarzkopf J → Neubauer B
Simon P → Limasset JC
Skarping G → Lindgren T
Skerfving S → Åkesson I
Spano M → Kolstad HA
Steerenberg PA → van Amsterdam JGC
Stelzer O → Nasterlack M
Stocco E → Trevisan A
Subra I → Limasset JC
Sulotto F → De Zotti R
Szadkowski D → Radon K

Takada S → Fukui Y
Takebayashi T → Omae K
Takeshita T → Yokota K
Takkouche B → Gestal-Otero JJ
Talini D → De Zotti R
Tchachtchine VP → Odland JØ
Tetzlaff K → Neubauer B
Thomassen Y → Odland JØ
Toibana N → Hirata M
Toomingas A: Characteristics of pain drawings in the neck-shoulder region among the working population 98
Topcu M → Merget R
Trevisan A, Stocco E, Fanelli G, Bicciato F, Paruzzolo P: Seroprevalence of hepatitis A markers in subjects exposed to biological risk 125
Triebig G → Bader M
Triebig G → Nasterlack M
Tritschler H JP → Dell LD
Tuomi K → Leino T
Tweedie RL → Mengersen KL

Ukai H → Fukui Y

van Amsterdam JGC, Verlaan APJ, van Loveren H, Vos SG, Opperhuizen A, Steerenberg PA: The balloon technique: a convenient method to measure exhaled NO in epidemiological studies 404
van der Beek AJ → Weel ANH
van Dijk FJH → Weel ANH
van Hartingsveld B → Borm PJA
van Loveren H → van Amsterdam JGC
van Sittert NJ → Boogaard PJ
Venge P → Wieslander G
Verbeek JHAM → Weel ANH
Verlaan APJ → van Amsterdam JGC
Vormberg R → Merget R
Vos SG → van Amsterdam JGC
Vyskocil A → Zayed J

Wälinder R → Wieslander G
Wang J-D → Guo YL
Weel ANH, van der Beek AJ, Kroon PJ, Verbeek JHAM, van Dijk FJH: Recent changes in occupational medicine in The Netherlands 285
Wieslander G, Norbäck D, Nordström K, Wälinder R, Venge P: Nasal and ocular symptoms, tear film stability and biomarkers in nasal lavage, in relation to building-dampness and building design in hospitals 451
Wieslander G, Norbäck D, Wälinder R, Erwall C, Venge P: Inflammation markers in nasal lavage, and nasal symptoms in relation to relocation to a newly painted building: a longitudinal study 507
Wilhelm M → Ewers U
Willers S → Lindgren T
Wilson HK: Biological monitoring values for occupational exposure: a United Kingdom perspective 274
Wrbitzky R → Krämer A
Wrbitzky R: Liver function in workers exposed to *N,N*-dimethylformamide during the production of synthetic textiles 19
Wu T-N → Guo YL

Yamada S → Hirata M
Yamaguchi K → Yokota K
Yokota K, Johyama Y, Yamaguchi K, Takeshita T, Morimoto K: Exposure-response relationships in rhinitis and conjunctivitis caused by methyltetrahydrophthalic anhydride 14
Yoshimura M → Harada N

Zavrski A → Hoerauf KH
Zayed J, Vyskocil A, Kennedy G: Environmental contamination and human exposure to manganese – contribution of methylcyclopentadienyl manganese tricarbonyl in unleaded gasoline 7
Zibera C → Lanza A
Zimber A → Nasterlack M
Zimpfer M → Hoerauf KH
Zschiesche W → Kolstad HA
Zschiesche W: Report on the International Symposium on Environment, Life Style, and Fertility, Aarhus, Denmark, December 1997 182